

A

About the State of the Unary Array, Multi-Array, and Array Compare Instruction Outputs Under Various Input Conditions, 10-36

ABS

Absolute (ABS) Instruction

Defined, 5-2

Errors, 5-32, 5-33

Example, 5-4

Inputs, 5-3

Outputs, 5-4

ADD, 5-5

Add Instruction

Defined, 5-5

Errors, 5-32, 5-33

Example, 5-8

Inputs, 5-6

Outputs, 5-7

AFI, 1-12

Always False (AFI) Instruction

Defined, 1-12

Errors, 1-16

Example, 1-12

Always True (ATI) Instruction

Defined, 1-12

Errors, 1-16

Example, 1-11

AND, 4-21

AR1, 10-5

AR2, 10-12

ARC, 10-20

Array, A-13

Initialization, A-19

Array Compare (ARC) Instruction

Defined, 10-20

Errors, 10-41

Example, 10-27

Inputs, 10-22

Outputs, 10-26

Array Instructions, 10-1

Array Shift Down (ASD) Instruction

Defined, 10-32

Errors, 10-42

Example, 10-35

Inputs, 10-33

Outputs, 10-34

Array Shift Up (ASU) Instruction

Defined, 10-28

Error, 10-42

Example, 10-31

Inputs, 10-29

Outputs, 10-30

ASD, 10-32

ASU, 10-28

ATI, 1-11

B

- BASIC programs, B-1, C-1
- BCD_TO, 17-6
- Bit-indexing, A-10
- Boolean, A-2

C

- Changing a Preset by Using Ladder Logic
 - Counter, 2-6
 - Timer, 3-19

- Circular Rotate Bits Left (ROL) Instruction
 - Defined, 9-7
 - Errors, 9-27, 9-28
 - Example, 9-10
 - Inputs, 9-8
 - Outputs, 19-9

- Circular Rotate Bits Left on Transition (RL) Instruction
 - Defined, 9-11
 - Errors, 9-27, 9-28
 - Example, 9-14
 - Inputs, 9-12
 - Outputs, 9-13

- Circular Rotate Bits Right (ROR) Instruction
 - Defined, 9-19
 - Errors, 9-27, 9-28
 - Example, 9-22
 - Inputs, 9-20
 - Outputs, 9-21

- Circular Rotate Bits Right on Transition (RR) Instruction
 - Defined, 9-23
 - Errors, 9-27, 9-28
 - Example, 9-26
 - Inputs, 9-24
 - Outputs, 9-25

- Coil (CO) Instruction
 - Defined, 1-13
 - Errors, 1-16
 - Example, 1-13

- Common Variables, See Global Variables

- Compare Instructions, 4-1

- Compute Instructions, 5-1

- Constants, A-15

- Convert From BCD to Integer Data (BCD_TO) Instruction
 - Defined, 7-6
 - Errors, 7-10, 7-12
 - Example, 7-9
 - Inputs, 7-7
 - Outputs, 7-8

- Convert Integer Data to BCD (TO_BCD) Instruction
 - Defined, 7-2
 - Errors, 7-10, 7-11
 - Example, 7-5
 - Inputs, 7-3
 - Outputs, 7-4

- CO, 1-13

- Counter Instruction, 2-1

- Counter Variables, A-8
 - Initialization, A-19
 - Using in BASIC programs, C-1

- Count Up Down Instruction
 - Defined, 2-2
 - Example, 2-5
 - Inputs, 2-3
 - Outputs, 2-4

- CTUD, 2-2

D

- Data Conversion Instructions, 7-1

- Data Structure, A-1

- Defining a Mask, 8-2

- Defining the amount of I/O Data to
 - Read, 12-6
 - Write, 12-11

- Determining the Number of Elements on Which To Operate, 10-3

- DIV, 5-9

- Divide (DIV) Instruction
 - Defined, 5-9
 - Errors, 5-32, 5-34
 - Example, 5-12
 - Inputs, 5-10
 - Outputs, 5-11

- Double Integer, A-4

E

- Element-indexing, A-10

- Error Code Cross-Reference, E-1

- Error Handling Variables, D-2

- Errors, caused by an instruction

 - ABS, 5-32, 5-33

 - ADD, 5-32, 5-33

 - AFI, 1-16

 - AND, 6-14

 - AR1, 10-37

 - AR2, 10-39

 - ARC, 10-41

 - ASD, 10-42

 - ASU, 10-42

 - ATI, 1-16

 - BCD_TO, 7-10, 7-12

 - CO, 1-16

 - DIV, 5-32, 5-34

 - EQ, 4-34

 - GE, 4-34

 - GT, 4-34

 - IOR, 12-14

 - IOW, 12-14

 - JMP, 11-7

 - LBL, 11-7

 - LE, 4-34

 - LIMIT, 4-34

 - LT, 4-34

 - MDV, 5-32, 5-34

 - MOD, 5-32, 5-34

 - MOVE, 8-14, 8-15

MSK, 8-14
MVB, 8-14, 8-16
MVM, 8-14
NCI, 1-16
NE, 4-34
NEG, 5-32, 5-36
NOI, 1-16
NOT, 6-14
NTI, 1-16
PTI, 1-16
OR, 6-14
PTI, 1-16
RCO, 1-16
RL, 9-27, 9-28
ROL, 9-27, 9-28
ROR, 9-27, 9-28
RR, 9-27, 9-28
SCO, 1-16
SL, 9-27
SR, 9-27
SQRT, 5-32, 5-37
SUB, 5-32, 5-38
TO_BCD, 7-10, 7-11
XOR, 6-14

EQ, 4-2

Equal To (EQ) Instruction

Defined, 4-2
Errors, 4-34
Example, 4-5
Inputs, 4-3
Outputs, 4-4

Example, instruction

ABS, 5-4
ADD, 5-8
AFI, 1-12
AND, 6-4
AR1, 10-11
AR2, 10-19
ARC, 10-27
ASD, 10-35
ASU, 10-31
ATI, 1-11
BCD_TO, 7-9
CO, 10-13
CTUD, 2-5
DIV, 5-12
EQ, 4-5
GE, 4-9
GT, 4-13
IN, 13-4
IOR, 12-7
IOW, 12-12
JMP, 11-6
LBL, 11-6
LE, 4-17
LIMIT, 4-25
LT, 4-21
MDV, 5-22
MOD, 5-15
MOVE, 8-5
MSK, 4-29
MUL, 5-18
MVB, 8-9
MVM, 8-13

NCI, 1-3
NE, 4-33
NEG, 5-24
NOI, 5-24
NOT, 1-2
NTI, 6-7
OR, 6-10
OUT, 13-6
PTI, 1-4
RCO, 1-15
RL, 9-14
ROL, 9-10
ROR, 9-22
RR, 9-26
RTO, 3-7
SCO, 1-14
SET, 11-4
SL, 9-6
SR, 9-18
SQRT, 5-28
SUB, 5-31
TO_BCD, 7-5
TOF, 3-7
TON, 3-15
TP, 3-19
XOR, 6-13

Execution Time,
Per Instruction, F-1
Variables, D-4

F

G

GE, 4-6

Global variables, A-12

Greater Than (GT) Instruction

Defined, 4-10

Errors, 4-34

Example, 4-13

Inputs, 4-11

Outputs, 4-12

Greater Than or Equal To (GE) Instruction

Defined, 4-6

Errors, 4-34

Example, 4-9

Inputs, 4-7

Outputs, 4-8

GT, 4-10

Guidelines for Programming Timer Instructions, 3-2

H

Hexadecimal constants, entering, A-15

How Array Instructions Execute, 10-4

How the AR1, AR2, and ARC Instructions Operate, 10-2

How Timer Instructions Operate, 3-1

I

Immediate Input and Output Instructions, 13-1

Immediate Input (IN) Instruction

- Defined, 13-2
- Example, 13-4
- Inputs, 13-3
- Outputs, 13-4

Immediate Output (OUT) Instruction

- Defined, 13-5
- Example, 13-6
- Inputs, 13-5
- Outputs, 13-6

IN, 13-2

Initialization, A-15

- Defining Type, A-20

Initial Value, defining, A-21

Instruction Memory Usage, F-1

Integer, A-4

I/O Read and Write Instructions, 12-1

I/O Read (IOR) Instruction

- Defined, 12-2
- Errors, 12-14
- Example, 12-7
- Inputs, 12-3
- Outputs, 12-4

I/O Write (IOW) Instruction

- Defined, 12-8
- Errors, 12-14
- Example, 12-12
- Inputs, 12-9
- Outputs, 12-10

IOR, 12-2

IOW, 12-8

J

JMP, 11-5

Jump (JMP) Instruction

- Defined, 11-5
- Errors, 11-7
- Example, 11-6

K

L

Label (Instruction)
Defined, 11-5
Errors, 11-7
Example, 11-6

LBL, 11-5

LE, 14-4

Leading zeros, A-15

Less Than (LT) Instruction
Defined, 4-18
Errors, 4-34
Example, 4-21
Inputs, 4-19
Outputs, 4-20

Less Than or Equal (LE) Instruction
Defined, 4-14
Errors, 4-34
Example, 4-17
Inputs, 4-15
Outputs, 4-16

LIMIT, 4-22

Limit (LIMIT) Instruction,
Defined, 4-21
Errors, 4-34
Example, 4-25
Inputs, 4-23
Outputs, 4-24

Listing of Base Addresses for Each Supported Slot in the AutoMax
Chassis, 12-13

Local variables, A-11

Logical AND Instruction
Defined, 6-2
Errors, 6-14
Example, 6-4
Inputs, 6-3
Outputs, 6-3

Logical Instructions, 6-1

Logical Exclusive OR (XOR) Instruction
Defined, 6-11
Errors, 6-14
Example, 6-13
Inputs, 6-12
Outputs, 6-12

Logical NOT (NOT) Instruction
Defined, 6-5
Errors, 6-4
Example, 6-7
Inputs, 6-6
Outputs, 6-6

Logical Or (OR) Instruction
Defined, 6-8
Errors, 6-14
Example, 6-10
Inputs, 6-9
Outputs, 6-9

LT, 4-18

M

Mask Compare (MSK) Instruction

- Defined, 4-26
- Errors, 8-14
- Example, 4-29
- Inputs, 4-27
- Outputs, 4-28

Mask Move (MVM) Instruction

- Defined, 8-10
- Errors, 8-14
- Example, 8-13
- Inputs, 8-11
- Outputs, 8-12

MDV, 5-19

MOD , 5-12

Modulo (MOD) Instruction

- Defined, 5-12
- Errors, 5-32, 5-34
- Example, 5-15
- Inputs, 5-13
- Outputs, 5-104

MOVE, 8-2

Move Bits Between Integers/Double Integers (MVB) Instruction

- Defined, 8-6
- Errors, 8-14, 8-16
- Example, 8-9

Inputs, 8-7

Outputs, 8-8

Move Instructions, 8-1

Move Source Data to Destination Data (MOVE) Instruction

- Defined, 8-2
- Errors, 8-14, 8-15
- Example, 8-5
- Inputs, 8-3
- Outputs, 8-4

MSK, 4-26

MUL, 5-15

Multi-Array (AR2) Instruction

- Defined, 10-12
- Errors, 10-39
- Example, 10-19
- Inputs, 10-14
- Outputs, 10-18

Multiply Divide (MDV) Instruction

- Defined, 5-19
- Errors, 5-32, 5-34
- Example, 5-22
- Inputs, 5-20
- Outputs, 5-21

Multiply (MUL) Instruction

- Defined, 5-15
- Errors, 5-32, 5-35
- Example, 5-18
- Inputs, 5-16
- Outputs, 5-17

MVB, 8-6
MVM, 8-10

N

NE, 4-30
NEG, 5-22
Negate (NEG) Instruction
 Defined, 5-22
 Errors, 5-32, 5-36
 Example, 5-24
 Inputs, 5-23
 Outputs, 5-24
Negative Transition (NTI) Contact
 Defined, 1-5
 Errors, 1-16
 Example, 1-5
 See Using Transition Contacts
NOI, 1-1
No Initialization Method, A-16
Normally Closed (NCI) Contact
 Defined, 1-3
 Errors, 1-16
 Example, 1-3
Normally Open (NOI) Contact
 Defined, 1-2
 Errors, 1-16
 Example, 1-2

NOT
Not Equal To (NE) Instruction
 Defined, 9-30
 Errors, 4-34
 Example, 4-33
 Inputs, 4-31
 Outputs, 4-32
NTI, 1-5

O

OR, 6-8
OUT, 13-5

P

Pre-defined (Reserved) Ladder Language Variables, D-1
Positive Transition (PTI) Contact
 Defined, 1-4
 Errors, 1-16
 Example, 1-4
 See Using Transition Contacts
Program Control Instructions, 11-1
PTI, 1-4

Q

quotient, 5-9, 5-19

R

RCO, 1-15

Relay Instructions, 1-1

Reset (Unlatch) Coil (RCO)
Defined, 1-15
Errors, 1-16
Example, 1-15

Resetting a counter, 2-5

Retained Value Initialization, A-18

Retentive Timer On (RTO) Instruction
Defined, 3-3
Example, 3-7
Inputs, 3-4
Outputs, 3-5
Timing Diagram, 3-6

RL, 9-11

ROL, 9-7

ROR, 9-19

Rotating Bits Within Boolean Arrays, 9-2

RR, 9-23

RTO, 3-3

S

Scan Variables, D-2

SCO, 1-14

Scope, A-11

SET, 11-2

Set Event (SET) Instruction
Defined, 11-2
Example, 11-4
Inputs, 11-3
Outputs, 11-3

Set (Latch) Coil (SCO)
Defined, 1-14
Errors, 1-16
Example, 1-14

Shift Instructions, 9-1

Shift Left (SL) Instruction
Defined, 9-3
Errors, 9-27
Example, 9-6
Inputs, 9-4
Outputs, 9-5

Shift Right (SR) Instruction
Defined, 9-15
Errors, 9-27
Example, 9-18
Inputs, 9-16
Outputs, 9-17

Simple Variables, A-1

- SL, 9-3
- SR, 9-15
- SQRT, 5-25
- Square Root (SQRT) Instruction
 - Defined, 5-25
 - Errors, 5-32, 5-37
 - Example, 5-28
 - Inputs, 5-26
 - Outputs, 5-27
- SUB, 5-28
- Subtract (SUB) Instruction
 - Defined, 5-28
 - Errors, 5-32, 5-38
 - Example, 5-31
 - Inputs, 5-29
 - Outputs, 5-30

T

- Timer Instructions, 3-1
- Timer Off Delay (TOF) Instruction
 - Defined, 3-7
 - Example, 3-11
 - Inputs, 3-8
 - Outputs, 3-9
 - Timing Diagram, 3-10
- Timer On Delay (TON) Instruction
 - Defined, 3-7
 - Example, 3-11

- Inputs, 3-8
- Outputs, 3-9
- Timing Diagram, 3-10
- Timer Pulse (TP) Instruction
 - Defined, 3-15
 - Example, 3-19
 - Inputs, 3-16
 - Outputs, 3-17
 - Timing Diagram, 3-18
- Timer Variables, A-6
 - Initialization, A-19
 - Using in BASIC programs, B-1
- TO_BCD, 7-2
- TOF, 3-7
- TON, 3-11
- TP, 3-15

U

- Unary Array (AR1) Instruction
 - Defined, 10-5
 - Errors, 10-37
 - Example, 10-11
 - Inputs, 10-6
 - Outputs, 10-9
- User Specified Initialization, A-18
- Using a Variable on a Set (SCO) and Reset Coil (RCO) Pair and on a Transition Contact, 1-9
- Using JMP and LBL Instructions To Skip Portions of Ladder Logic, 11-1

Using Transition Contacts, 1-6
in a Program with a Jump and Label Construct, 1-10

V

Variables, A-1
Pre-defined, D-1

W

X

XOR, 6-11

Y

Z